




.


FIG Z







F16 6





DOTOPIOS TOPIOS







200

₹ 2.08


174



DIRECT CONNECT AHD (USING RS-232)




WALK-UP CONNECT AHD (USING RS-232)




F16 12


MODEM CONNECT AHD (USING RS-232)




DIRECT CONNECT AHD (USING RS-485)



F16 /6





- 1 = After a 25 second time-out the reader should cancel the transaction and return to the start.
- ² = Display message for 10 seconds and continue
- ³ = Display message for 5 seconds or until the "ENTER" key is pressed and continue with the program


 ⁴ = After a 15 second time-out the amount will be considered correct and continue with the program.

 By: Steven Davis

X	1	<u> </u>	
			O Heio
Uperator Log	owser		
securomatic Uperator	Operator bow		

FIG 18

,							_	
System Operators	Operator	χ(πονο)	56	Current	Password	Max.	T PESSWOOD	Password Securiv Level C Administration C USER C Cancel
E E							• • •	
yst	ſ			77.	T	1		
· · · · · · · · · · · · · · · · · · ·		Uperator		Wysel setillo	Chen	Church	McConnell	Add Modify Delete



Desparation.

D9396182 . C91799

Button Panel

Button Name	Description
Events button	Click on the Events button to display all events uploaded from the Automated Securomatic card reader to the PC.
Audit button	Click on the Audit button to print a report of all deposits that occurred after a specified time and date. The report prints at the PC's default printer. Use this feature to verify the deposits each time the vault is emptied.
Customers button	Click on the Customers button to view, add, modify, and delete customers in the database. You can also display transaction events for a specific customer.
Depository 1 - Connect button	Click on the Connect button for Depository 1 to connect the PC to the Depository 1 card reader for database changes and event transmission. Once the PC is connected to the card reader, the button changes to the Disconnect button. Click on the Disconnect button to disconnect the PC and the card reader.
Depository 1 - Send Data button	After you are connected to Depository 1 card reader, click on the Send Data button to download the reader configuration and the customer database to the card reader.
Depository 2 - Connect button	Click on the Connect button for Depository 2 to connect the PC to the Depository 2 card reader for database changes and event transmission. Once the PC is connected to the card reader, the button changes to the Disconnect button. Click on the Disconnect button to disconnect the PC and the card reader.
Depository 2 · Send Data button	After you are connected to Depository 2 card reader, click on the Send Data button to download the reader configuration and the customer database to the card reader.
Logout button	Click on the Logout button to log out the current operator. The Automated Securomatic Operator Login Window displays (Figure 18). A valid operator must log in to continue. If you click on the Exit button on the Automated Securomatic Operator Login Window, you will exit the system.
Exit button	Click on the Exit button to exit the Automated Securomatic software.

Status Panel Indicators

Indicator	Color	Description	Action
Online	Green	Card reader is currently online to the PC.	No action is required.
	Red	Card reader is currently offline to the PC.	To connect to the card reader, click on the Connect button.
Tamper	Green	Door of the electronic access module (Figure 1-1) is secure.	No action is required.
	Red	Door of the electronic access module is open (Figure 1-1).	Investigate and secure the electronic access module of the Automated Securomatic.
Vault	Green	Depository vault capacity is acceptable.	No action is required.
	Red	Depository vault is full.	Empty the vault.
Paper	Green	Printer paper for the card reader is adequate.	No action is required.
	Yellow	Printer paper for the card reader is low.	Change the printer paper. Once red streaks begin to appear on the receipts the paper is almost gone and jams are likely to occur.
	Red	Printer for the card reader is out of paper.	Change the printer paper.
Database	Green	Card reader database is current.	No action is required.
	Red	Card reader database requires update from PC.	Click on the Connect button to connect to the card reader, and then click on the Send Data button to download the updated database to the card reader.

Program Files Whd WHD	1 - Depository 2 - Depository Name 3 - Depository Name 4 - Depository Name		+ FIG 23
ecuromatic C:1	Audit Download All	Ex#	1.22
🥸 DIEBOLD Automated S	File Configure Help Events Custamers	Lagout	

	ANK TABLE
Bank Name	First Financial
Facility Code	44720
Serial Port	COM2
Serial Speed	9600
Dial Connection	×
rModem	
Initial String	AT&F
Dial Prefix	ATDP
Connection	CONNECT
Acknowledge	OK
Escape	+++
Hangup	ATH0
	OK Cancel

FIG ZY

= DEPOSIT	ORYTABLE
Depository 1	•
Depository 2	C
	1 No. 14 (1997)
Description	Depository 1
Telephone Number	555-1212
PIN Required	
Bag Number Required	
	OK Cancel

F1625

Joan's Auto Repair Joan's Auto Repair Manual deposits The Candy Store	Lest Name Moore Galfney Yung	First Name Ruthellen Joan Eddie	Account 00004987 00000002 00000002 0 0	Card Receipts 98745 1 25875 1 26987 1 0 1 31589 1
Add	(Î Delete	Deposits	L. L	i E

6,7

COLLEC TELECLEC

232	•

	Change Customer
Business Name	
First Name	Jim's Sporting Goods
Last Name	Ruthellen
Account Number	Moore
	00004987
Card Number	98745
PIN	Verify PIN
Receipts	
Depository1	
Depository2	X
Issue Date	
	28Jul-1998
	Modify Cancel

F16 Z7

X			734
100% SAS	Cubmers	First Name Griffin Yeang Joan Ruthellen	
		LastiName Chuck Eddie Gaifney Hoore	
	9.101.98	BusinessName Hanual Deposits The Candy Store Joan's buto Repair Joan's buto Repair Jin's Sporting Goods	
omer Report	9.14.98	111 2000	

Ì	:
1	=
i	
1	Ļ
4	I
dad,	Į
	_i
I I	I
Hum	L
₽	
Į	_
ı,	
1	å
÷.	ij
ij	3
The second]

=		Print			
	ulam Printer	(HP LaserJet	4		
Printer: Sy				UK	
				Cancel	_2
Print Range					
• All					- T
C Pages			Copi	23: 1	
From:	1	fo: 1		tale to the Control of the Control o	
			IX L	ollate Copies	

F16 Z9

3	kport						X	
						nk		
	Form		parated v	alues	~			255
	er i 🗸	tination:	parace v			lancel		
2 E 2 E 2 E 2 E 2 E 2 E 2 E 2 E 2 E 2 E		k file			~			
		KIIIC	<u> </u>					
•								

	,	Save	Cancel
		cards.chi	Character-separated (*.chr)
Choose Export File Savein: 🔄 ahd	···	File name;	

FIG 31

•		4				٤٠٠.	· , ·				٠, .	٠,٠,	• •	
	 			0	O	0	io	0	0	0	0	O		
		Alarm Account Number Deposit Amount Bag Number))))))		
		mount B	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Deposit A												
		Number												
		Account												
3		Alarm	Yes	Š	Yes	£	Yes	°Z	Yes	No	Yes	S N	Yes	9 N
			Tamper - Securomatic	amper - Securomatic	l amper - Securomatic	amper - Securomatic	Famper - Securomatic	amper - Securomatic	Tamper - Securomatic	amper - Securomatic				
			er - Sec	er - Sec	er - Sec	er - Sec	er · Sec	er - Sec	er - Sec	er - Sec	er - Sec	er - Sec	er - Sec	er - Sec
		y Even	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp	Tamp
		me Depository Event	-	-	-	-	-		_	, -	-	-		-
		Time	38 PM	51 PM	58 PM	23 PM	24 PM	2:41:24 PM	2:41:24 PM	25 PM	2:41:25 PM	2:41:26 PM	2:41:26 PM	2:42:36 PM
			2:39:38	2:39:51	2:40:58	2:41:23 F	2:41:24 F	2:41:	2:41:	2.41	2:41:	2:41:	2:41:	2:42
			197	1-97	1-97	1-97	1.97	1-97	1-97	1-97	1.97	1-97	1.97	1.97
	7.	Date	17-Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97	17Jul-97
3				<u>:</u>	Ŀ									٠


F1032


12345	No. 19345	স্থ
12345		عاد
12345		3 -
12345		- 6
12345		143 FGF
		3]
		; ;;;

	X	

	Select Events	
Account Number		
Business Name	Last Name	First Name
ls	Мооге	Ruthellen
Joan's Auto Repair	Galiney	Joan
j	Yung	Eddie
The Candy Store	Griffin	Chuck
10eps S	7	

F1634





236


DGESTAR LOSTED

BANK NAME (35 CHARACTERS) BANK NAME (35 CHARACTERS) BANK BRANCH (35 CHARACTERS) 01/01/98 12:00 AM


LAST PICK-UP: 01/01/98 12:00 AM CURRENT DATE: 01/01/98 12:00 AM TOTAL NUMBER OF DEPOSITS: 123

SIGNATURE OF COLLECTING AGENT

FIG 37



F16 38



F16 39